

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

**Foundations (LEVEL 1)**

1. Explain the theory of *yinyang* 陰陽 (dynamically opposed forces) and its application to *bianzheng* 辨證 (differential pattern diagnosis).
2. Explain the theory of *wuxing* 五行 (five elemental-phases) and its application to pattern diagnosis.
3. Explain the theory of *liujing* 六精 (six essential-substances): *shen* 神 (spirit), *qi* 氣 (energy), *xue* 血 (blood), *jing* 精 (reproductive essence), *jinye* 津液 (body fluids), and *sui* 髓 (marrow), and its application to pattern diagnosis.
4. Explain the theories of *qixue* 氣血 (energy & blood) and *bagang* 八綱 (eight principles) pathologies and their application to pattern diagnosis.
5. Explain the theories of *zangfu* 腸腑 (solid & hollow organs) and *jingluo* 經絡 (channels & collaterals) and their application to pattern diagnosis.
6. Explain the theories of *liuqi* 六氣 (six atmospheric influences), *qiqing* 七情 (seven emotional influences), and *bunei bwai yinbing* 不內不外因病 (miscellaneous causes of disease), and their application to pattern diagnosis.
7. Explain the theory of *biaoben* 標本 (root & branch) and its application to pattern diagnosis.
8. Explain the theory of *liujing* 六經 (six channel-stages) in relation to *shanghan* 傷寒 (cold damage) theory and its application to pattern diagnosis.
9. Explain the theory of *wei qi ying xue bianzheng* 衛氣營血辨證 ("four level" diagnosis) and *sanjiao* 三焦 (three warmers) differentiation in relation to *wenbing* 溫病 (warm disease) theory and its application to pattern diagnosis.
10. Detail the essential health information to be obtained from *wenzhen* 間診 (inquiry) via the medical interview regarding the patient's chief complaint (e.g., onset, severity, frequency & duration, functional changes, aggravations & ameliorations, response to treatment).
11. Describe what diagnostic information can be learned from *wangzhen* 望診 (observation) of the *rongse* 榮色 (facial complexion, e.g., red, malar flush, pale, sallow, jaundiced, dark, etc.), as well as observation of the *she* 舌 (tongue), including: color, coating, shape, and moisture.
12. Describe what other diagnostic information can be learned through observation (e.g., hair, eyes, nose, lips, teeth, ears, throat, skin, nails, torso, limbs, abdomen, hands, feet, movement, behavior, etc.), including subjective or objective information about secretions and excretions (e.g., sweat, saliva, tears, mucous, urine, feces, vomit, pus, ear wax, menses, etc.).
13. Describe what diagnostic information can be learned from auscultation/olfaction *wenzhen* 聽診 (auscultation, e.g., chest sounds, bowel sounds, speech patterns, joint crepitus, etc.; olfaction, e.g., secretions & excretions, breath, body, etc.).
14. Describe what diagnostic information can be learned from interrogation, or the *shiwen* 十問 (Ten Questions, e.g., temperature, perspiration, respiration, pain, sleep, exercise, diet, appetite & thirst, digestion, urination, reproduction, skin, musculoskeletal, emotions, memory & cognition, weight loss/gain, etc.).
15. Describe what diagnostic information is unique to pediatric and geriatric patients.
16. Describe what diagnostic information can be learned from *anzen* 按診 (palpation) of the body, including areas of pain, tenderness, numbness, tingling, sensitivity (e.g., channels, acupoints, musculature, abdomen, etc.).
17. Describe what diagnostic information can be learned from palpation of the *cunkou* 寸口 (radial pulse), including rate, depth, strength, length, width, and quality.
18. Describe the essential features of Japanese Hara 腹 (abdominal) diagnosis.

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

**Acupuncture (LEVEL 1)**

1. Describe the range of commonly used *haozhen* 毫針 (filiform needles), including length, gauge, and materials, as well as the strengths and limitations of the various types of filiform needles in clinical practice.
2. Describe important guidelines regarding correct positioning and draping of the patient.
3. Describe the essentials of Clean Needle Technique (CNT).
4. Describe the stages of needling (insertion-withdrawal), including various *xingzhen* 行針 (needle manipulations) to obtain the *deqi* 得氣 (arrival of *qi*) sensation: e.g., *ticha* 提插 (lifting & thrusting), *nianzhuan* 捏轉 (twirling & twisting), and *zhenchan* 震顫 (shaking & vibrating).
5. Describe the various *bu* 補 (tonification, reinforcing) and *xie* 瀉 (sedation, reducing) techniques, including rate of insertion, angle of insertion, coordination of insertion and withdrawal with the breath, opening & closing acupoints after withdrawal, etc.
6. Describe the important safety points regarding angles and depths of needle insertion based on current knowledge of human anatomy.
7. Compare and contrast the classical needling techniques: *shaoshanhuo* 燒山火 (burning the mountain fire) & *toutianliang* 透天涼 (penetrating heaven's coolness) from the *Jinzen Fu* 金針賦 (Ode to the Golden Needle, c.1600).
8. Describe the functions, indications, and safety concerns of *dianzhen* 電針 (electro-acupuncture using microcurrent), including the correct clinical procedures.
9. Compare and contrast microcurrent with trans-cutaneous neural stimulation (TENS).
10. What procedures are followed in the case of a clinical emergency, including fainting, shock, bleeding, broken needles, stuck needles, and burns.
11. Describe the internal and external pathways of the twelve *jingmai* 經脈 (primary channels).
12. Explain how the theory of *luomai* 絡脈 (connecting channels), *jinjing* 筋經 (sinew channels), and the *jingbie* 經別 (channel divergences) are applied to the practice of acupuncture.
13. Explain how the theory of *bamai qijing* 八脈奇經 (eight extraordinary channels) is applied to acupuncture, including the *bamai jiaohuixue* 八脈交會穴 (influential points of the eight channels).
14. Describe the *xuelei* 穴類 (acupoint categories) and locations of **commonly used** acupoints, as well as commonly used new and miscellaneous acupoints. **[A3a]**

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

**Herbology (LEVEL 1)**

1. Identify the standard species of commonly used medicinals in the *bencao* 本草 (materia medica).
2. Identify the components of the pharmaceutical name of commonly used medicinals.
3. Identify the functions of the different flavors (e.g., bitter, sweet, acrid, salty, sour, bland, aromatic) in Chinese Herbology, and the categories of medicinals those flavors commonly appear (e.g., release exterior, clear heat, tonify blood, etc.).
4. Explain how the temperature of medicinals effects their therapeutic action.
5. Explain how the directional properties and channel tropism of medicinals effects their therapeutic action.
6. Identify the cautions and contraindications of commonly used medicinals.
7. Identify the functions and common indications of **commonly used** medicinals and formulas.
8. Identify endangered species used in Chinese herbology and appropriate substitutions.
9. Identify common contaminants to medicinals in the pharmacy (e.g., mold, rancidity, infestation, etc.) and strategies to monitor and prevent such contamination, including proper storage.
10. Detail the strategies used for the construction and modification of an herbal formula according to the patient's condition.
11. Detail the role of medicinals in a formula according to the theory of *jun* 君 (ruler), *chen* 臣 (minister), *zuo* 佐 (assistant), and *shi* 使 (envoy).
12. Identify the *bafa* 八法 (eight methods) of Chinese herbology and their function, indications, cautions, and contraindications.
13. Explain the rules/laws and methods used for calibrating scales for use in herbal prescribing, including the different types of scales commonly used (e.g., traditional, triple balance-beam, digital, etc.).
14. Detail the required cleaning and maintenance of equipment used in herbal prescribing.

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

**Biomedicine (LEVEL 1)**

1. Explain the normal function of the body's organs and systems (e.g., musculoskeletal, integumentary, circulatory, respiratory, nervous, immune, digestive, hepatic & biliary, renal & urinary, and reproductive).
2. Explain the potential abnormal functioning (pathophysiology) of the body's organs and systems and the **common diseases** this generates.
3. Detail the essential health information to be obtained from the medical interview regarding the patient's chief complaint from a Biomedical perspective.
4. Detail risk factors based on a patient's family medical history from a Biomedical perspective.
5. Detail risk factors based on a patient's personal, social, and occupational history from a Biomedical perspective.
6. Detail general health promotion and maintenance guidelines from a Biomedical perspective.
7. Detail the essentials of Cardio-Pulmonary Resuscitation (CPR).
8. Identity common bloodborne pathogens, communicable and infectious diseases and their routes of transmission, and the universal precautions to prevent their spread.
9. Detail the procedures to be followed in the case of a contaminated needle stick.

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

For the following two-hundred (200) **commonly used** acupoints, students must know the names, categories, locations, functions, and cautions & contraindications.

**Hand Taiyin Lung Channel (手太陰肺經 *shou taiyin fei jing*) [8 pts]**

- LU-1 (*zhongfu* 中府, central storehouse)
- LU-3 (*tianfu* 天府, heavenly storehouse)
- LU-5 (*chize* 尺澤, cubit marsh)
- LU-6 (*kongzui* 孔最, collection hole)
- LU-7 (*lieque* 列缺, broken sequence)
- LU-9 (*taiyuan* 太淵, great abyss)
- LU-10 (*yuji* 魚際, fish border)
- LU-11 (*shaoshang* 少商, minor merchant)

**Hand Yangming Large Intestine Channel (手陽明大腸經 *shou yangming dachang jing*) [11 pts]**

- LI-4 (*hegu* 合谷, gathering valley)
- LI-8 (*xialian* 下廉, lower ridge)
- LI-9 (*shanglian* 上廉, upper ridge)
- LI-10 (*shousanli* 手三里, arm three miles)
- LI-11 (*quchi* 曲池, crooked pond)
- LI-12 (*zhouliao* 肘髎, elbow bone-hole)
- LI-14 (*binao* 臂臑, upper arm)
- LI-15 (*jiangu* 肩骨, shoulder bone)
- LI-16 (*jugu* 巨骨, large bone)
- LI-18 (*futu* 扶突, protuberance assistant)
- LI-20 (*yingxiang* 迎香, welcome fragrance)

**Foot Yangming Stomach Channel (足陽明胃經 *zu yangming wei jing*) [22 pts]**

- ST-2 (*sibai* 四白, four whites)
- ST-4 (*dicang* 地倉, earth granary)
- ST-6 (*jiache* 頰車, jaw mover)
- ST-7 (*xiaguan* 下關, below the hinge)
- ST-8 (*touwei* 頭維, head corner)
- ST-9 (*renying* 人迎, mankind's prognosis)
- ST-12 (*quepen* 缺盆, hollow basin)
- ST-17 (*ruzhong* 乳中, breast center)
- ST-21 (*liangmen* 梁門, beam gate)
- ST-25 (*tianshu* 天樞, heavenly pivot)
- ST-28 (*shuidao* 水道, water passages)
- ST-31 (*biguan* 脾關, thigh hinge)
- ST-34 (*liangqiu* 梁丘, beam hill)
- ST-35 (*dubi* 獬鼻, calf's nose)
- ST-36 (*zusanli* 足三里, leg three miles)
- ST-37 (*shangjuxu* 上巨虛, upper great emptiness)

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

- ST-38 (*tiaokou* 條口, narrow opening)
- ST-40 (*fenglong* 豐隆, bountiful bulge)
- ST-41 (*jiexi* 解谿, divided gorge)
- ST-42 (*chongyang* 沖陽, surging yang)
- ST-43 (*xiangu* 陷谷, sunken valley)
- ST-44 (*neiting* 內庭, inner courtyard)

**Foot Taiyin Spleen Channel (足太陰脾經 zu taiyin pi jing) [9 pts]**

- SP-1 (*yinbai* 隱白, hidden white)
- SP-3 (*taibai* 太白, great white [Venus])
- SP-4 (*gongsun* 公孫, grandfathers & grandsons)
- SP-6 (*sanyinjiao* 三陰交, three yin meeting)
- SP-8 (*diji* 地機, earth mechanism)
- SP-9 (*yinlingquan* 陰陵泉, yin mound spring)
- SP-10 (*xuehai* 血海, sea of blood)
- SP-15 (*daheng* 大橫, great horizontal)
- SP-21 (*dabao* 大包, great container)

**Hand Shaoyin Heart Channel (手少陰心經 shou shaoyin xin jing) [7 pts]**

- HT-1 (*jiquan* 極泉, utmost spring)
- HT-3 (*shaohai* 少海, minor sea)
- HT-5 (*tongli* 通里, connecting miles)
- HT-6 (*yinxi* 陰郄, yin cleft)
- HT-7 (*shenmen* 神門, spirit gate)
- HT-8 (*shaofu* 少府, minor storehouse)
- HT-9 (*shaochong* 少沖, minor surge)

**Hand Taiyang Small Intestine Channel (手太陽小腸經 shou taiyang xiaochang jing) [13 pts]**

- SI-3 (*houxi* 後谿, behind the creek)
- SI-4 (*wangu* 腕骨, wrist bone)
- SI-8 (*xiaohai* 小海, minor sea)
- SI-9 (*jianzhen* 肩貞, shoulder correction)
- SI-10 (*naoshu* 肱俞, upper-arm associated-acupoint)
- SI-11 (*tianzong* 天宗, heavenly gathering)
- SI-12 (*bingfeng* 秉風, grasping the wind)
- SI-13 (*quyuan* 曲垣, crooked wall)
- SI-14 (*jianwaishu* 肩外俞, outer shoulder associated-acupoint)
- SI-15 (*jianzhongshu* 肩中俞, central shoulder associated-acupoint)
- SI-16 (*tianchuang* 天窗, heavenly window)
- SI-17 (*tianrong* 天容, heavenly receiver)
- SI-19 (*tinggong* 聽宮, palace of hearing)

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

**Foot Taiyang Urinary Bladder Channel (足太陽膀胱經 zu taiyang pangguang jing) [37 pts]**

- UB-1 (*jingming* 晴明, bright eyes)
- UB-2 (*zanzhu* 攢竹, bamboo grove)
- UB-10 (*tianzhu* 天柱, heavenly pillar)
- UB-11 (*dazhu* 大杼, big shuttle)
- UB-12 (*fengmen* 風門, wind gate)
- UB-13 (*feishu* 肺俞, lung associated-acupoint)
- UB-14 (*jueyinshu* 厥陰俞, “pericardium” associated-acupoint)
- UB-15 (*xinshu* 心俞, heart associated-acupoint)
- UB-16 (*dushu* 督俞, governing associated-acupoint)
- UB-17 (*geshu* 膽俞, diaphragm associated-acupoint)
- UB-18 (*ganshu* 肝俞, liver associated-acupoint)
- UB-19 (*danshu* 膽俞, gallbladder associated-acupoint)
- UB-20 (*pishu* 脾俞, spleen associated-acupoint)
- UB-21 (*weishu* 胃俞, stomach associated-acupoint)
- UB-22 (*sanjiaoshu* 三焦俞, triple warmer associated-acupoint)
- UB-23 (*shenshu* 腎俞, kidney associated-acupoint)
- UB-25 (*dachangshu* 大腸俞, large intestine associated-acupoint)
- UB-27 (*xiaochangshu* 小腸俞, small intestine associated-acupoint)
- UB-28 (*pangguangshu* 膀胱俞, urinary bladder associated-acupoint)
- UB-31 (*shangliao* 上髎, upper bone-hole)
- UB-32 (*ciliao* 次髎, second bone-hole)
- UB-37 (*yinmen* 殷門, abundant gate)
- UB-39 (*weiyang* 委陽, bending yang)
- UB-40 (*weizhong* 委中, middle of the bend)
- UB-42 (*pohu* 魄戶, door of the corporeal soul)
- UB-43 (*gaohuangshu* 膏肓俞, associated-acupoint of the *gaohuang*)
- UB-44 (*shentang* 神堂, spirit hall)
- UB-47 (*hunmen* 魂門, gate of the ethereal soul)
- UB-49 (*yishe* 意舍, house of the intellect)
- UB-52 (*zhishi* 志室, room of the emotions)
- UB-54 (*zhidian* 秩邊, sequential limit)
- UB-57 (*chengshan* 承山, support the mountain)
- UB-58 (*feiyang* 飛揚, taking flight)
- UB-60 (*kunlun* 昆侖, Kunlun Mountains)
- UB-62 (*shenmai* 申脈, extending vessel)
- UB-64 (*jinggu* 京骨, capital bone)
- UB-67 (*zhiyin* 至陰, reaching the end)

**Foot Shaoyin Kidney Channel (足少陰腎經 zu shaoyin shen jing) [11 pts]**

- KD-1 (*yongquan* 涌泉, surging spring)
- KD-2 (*rangu* 然谷, burning valley)
- KD-3 (*taixi* 太谿, great creek)
- KD-6 (*zhaohai* 照海, shining sea)

**ICAOM Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

- KD-7 (*fuliu* 復溜, recover the flow)  
KD-10 (*yingu* 陰谷, dark valley)  
KD-23 (*shenfeng* 神封, spirit seal)  
KD-24 (*lingxu* 靈墟, spirit ruins)  
KD-25 (*shencang* 神藏, spirit storage)  
KD-26 (*yuzhong* 或中, flourishing center)  
KD-27 (*shufu* 俞府, associated-acupoint of the storehouse)

**Hand Jueyin Pericardium Channel (手厥陰心包經 *shou jueyin xinbao jing*) [6 pts]**

- PC-3 (*quze* 曲澤, crooked marsh)  
PC-5 (*jianshi* 間使, intermediary envoy)  
PC-6 (*neiguan* 內關, inner pass)  
PC-7 (*daling* 大凌, large mound)  
PC-8 (*laogong* 勞宮, palace of toil)  
PC-9 (*zhongchong* 中衝, central hub)

**Hand Shaoyang Sanjiao Channel (手少陽三焦經 *shou shaoyang sanjiao jing*) [10 pts]**

- SJ-3 (*zhongzhu* 中渚, central isle)  
SJ-4 (*yangchi* 陽池, sunny pond)  
SJ-5 (*waiguan* 外關, outer pass)  
SJ-6 (*zhigou* 支溝, branch ditch)  
SJ-8 (*sanyangluo* 三陽絡, three yang connection)  
SJ-10 (*tianjing* 天井, heavenly well)  
SJ-14 (*jianliao* 肩髎, shoulder bone-hole)  
SJ-16 (*tianyou* 天牖, heavenly window)  
SJ-17 (*yifeng* 翳風, screen the wind)  
SJ-21 (*ermen* 耳門, ear gate)

**Foot Shaoyang Gall Bladder Channel (足少陽膽經 *zu shaoyang dan jing*) [18 pts]**

- GB-1 (*tongziliao* 瞳子髎, pupil bone-hole)  
GB-2 (*tinghui* 聽會, hearing convergence)  
GB-8 (*shuaigu* 率谷, valley leader)  
GB-14 (*yangbai* 陽白, yang white)  
GB-20 (*fengchi* 風池, wind pool)  
GB-21 (*jianjing* 肩井, shoulder well)  
GB-24 (*riyue* 日月, sun & moon)  
GB-25 (*jingmen* 京門, capital gate)  
GB-26 (*daimai* 帶脈, girdle vessel)  
GB-29 (*Juliao* 居髎, squatting bone-hole)  
GB-30 (*huantiao* 環跳, jumping around)  
GB-31 (*fengshi* 風市, wind market)  
GB-34 (*yanglingquan* 陽陵泉, yang mound spring)  
GB-37 (*guangming* 光明, bright light)

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

- GB-39 (*suihui* 髓會, marrow convergence)  
GB-40 (*qiuxu* 丘墟, hill ruins)  
GB-41 (*zulinqi* 足臨泣, foot arriving tears)  
GB-43 (*xiaxi* 俠谿, wide ravine)

**Foot Jueyin Liver Channel (足厥陰肝經 *zu jueyin gan jing*) [9 pts]**

- LR-2 (*xingjian* 行間, moving between)  
LR-3 (*taichong* 太沖, great surge)  
LR-4 (*zhongfeng* 中封, central mound)  
LR-5 (*ligou* 蠶溝, woodworm canal)  
LR-6 (*zhongdu* 中都, central capital)  
LR-8 (*ququan* 曲泉, spring at the bend)  
LR-12 (*jimai* 急脈, urgent vessel)  
LR-13 (*zhangmen* 章門, camphor gate)  
LR-14 (*qimen* 期門, time-period gate)

**Conception Vessel (任脈 *ren mai*) [14 pts]**

- Ren-1 (*huiyin* 會陰, meeting of *yin*)  
Ren-3 (*zhongji* 中極, extreme center)  
Ren-4 (*guanyuan* 關原, source pass)  
Ren-6 (*qihai* 氣海, sea of *qi*)  
Ren-8 (*shenque* 神闕, spirit gate-tower)  
Ren-9 (*shuifen* 水分, water divide)  
Ren-12 (*zhongwan* 中脘, central venter)  
Ren-13 (*shangwan* 上脘, upper venter)  
Ren-14 (*juque* 巨闕, large gate-tower)  
Ren-15 (*jiuwei* 鳩尾, turtledove tail)  
Ren-17 (*tanzhong* 膽中, chest center)  
Ren-22 (*tiantu* 天突, heavenly chimney)  
Ren-23 (*lianquan* 廉泉, ridge spring)  
Ren-24 (*chengjiang* 承漿, sauce receptacle)

**Governing Vessel (督脈 *du mai*) [8 pts]**

- DU-1 (*changqiang* 長強, long & strong)  
DU-4 (*mingmen* 命門, life gate)  
DU-8 (*jinsuo* 筋縮, sinew contraction)  
DU-14 (*dazhui* 大椎, great hammer)  
DU-16 (*fengfu* 風府, wind palace)  
DU-20 (*baihui* 百會, hundred convergences)  
DU-23 (*shangxing* 上星, upper star)  
DU-26 (*renzhong* 人中, mankind's center)

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

**Miscellaneous Acupoints (雜針灸穴 za zhenjiu xue) [17 pts]**

- M-HN-1 (*sishencong* 四神聰, four intelligences)  
M-HN-3 (*yintang* 印堂, official-seal hall)  
M-HN-9 (*taiyang* 太陽, greater yang)  
MHN-14 (*bitong* 鼻通, nasal flow)  
M-HN-30 (*bailao* 百勞, hundred labors)  
M-HN-54 (*anmian* 安眠, peaceful sleep)  
M-HN-20 (*jinjin yuye* 金津玉液, gold & jade fluids)  
M-CA-18 (*zigong* 子宮, child's palace)  
M-BW-1 (*dingchuan* 定喘, stop wheezing)  
M-BW-24 (*yaoyan* 腰眼, lumbar eyes)  
M-BW-35 (*Hua Tuo Jiaji* 華佗夾脊, Hua Tuo's paraspinal acupoints)  
M-UE-22 (*baxie* 八邪, eight evils)  
M-UE-24 (*luozhen* 落振, cyclical fall & rise)  
M-LE-8 (*bafeng* 八風, eight winds)  
M-LE-13 (*lanweixue* 闌尾穴, appendix acupoint)  
M-LE-23 (*dannangxue* 膽囊穴, gallbladder acupoint)  
M-LE-27 (*heding* 鶴頂, crane's top)

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

For the following one-hundred (100) **commonly used** medicinals, students must know the names (*pinyin & pharmaceutical*), categories, functions, and cautions & contraindications.

**RELEASE THE EXTERIOR [12 herbs]**

- Baizhi* 白芷 (*Angelicae Dahuicae Radix*)  
*Bohe* 薄荷 (*Mentha haplocalyx Briq., Herba*)  
*Chaihu* 柴胡 (*Bupleurum chinense D.C., Radix*)  
*Fangfeng* 防風 (*Lebedouriellae Radix*)  
*Gegen* 葛根 (*Puerariae Radix*)  
*Guizhi* 桂枝 (*Cinnamomum cassia Blume Ramulus*)  
*Jingjie* 菊芥 (*Schizonepeta tenuifolia Briq., Herba seu Flos*)  
*Mahuang* 麻黃 (*Ephedra sinica Stapf., Herba*)  
*Qianghuo* 羌活 (*Notopterygii Radix et Rhizoma*)  
*Shengjiang* 生薑 (*Zingiber officinale Rosc., Rhizoma recens*)  
*Shengma* 升麻 (*Cimicifugae Rhizoma*)  
*Xixin* 細辛 (*Asari Herba cum Radice*)

**REGULATE QI [6 herbs]**

- Chenpi* 陳皮 (*Citrus reticulate Blanco, Pericarpium*)  
*Chuanlianzi* 川棟子 (*Melia toosendan Sieb. Et Zucc., Fructus*)  
*Muxiang* 木香 (*Auklandia lappae Decne., Radix*)  
*Wuyao* 烏藥 (*Lindera strychnifolia (Sieb. Et Zucc.) Villar, Radix*)  
*Xiangfu* 香附 (*Cyperus rotundis L., Rhizoma*)  
*Zhishi* 枳實 (*Citrus aurantium L., Fructus*)

**REGULATE BLOOD [8 herbs]**

- Danshen* 丹參 (*Salvia miltiorrhiza Bge., Radix*)  
*Chishao* 赤芍 (*Paeoniae Rubrae, Radix*)  
*Chuanxiong* 川芎 (*Ligusticum wallichii Hort., Radix*)  
*Honghua* 紅花 (*Carthamus tinctorius L., Flos*)  
*Moyao* 沒藥 (*Commiphora myrrha Engl., Resina*)  
*Niuxi* 牛膝 (*Achyranthes bidentata Bl., Radix*)  
*Ruxiang* 乳香 (*Boswellia carterii Birdw., Resina*)  
*Taoren* 桃仁 (*Prunus persica (L.) Batsch., Semen*)

**STOP BLEEDING [4 herbs]**

- Cebaiye* 側柏葉 (*Biota orientalis (L.) Endl., Cacumen*)  
*Diyu* 地榆 (*Sanguisorba officinalis L., Radix*)  
*Qiancaogen* 茜草根 (*Rubiae cordifolia L., Radix*)  
*Sanqi* 三七 (*Panax notoginseng (Burk.) F.H. Chen., Radix*)

**ICAOM Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

**TONIFY QI [6 herbs]**

*Baizhu* 白朮 (*Atractylodes macrocephala* Koidz., Rhizoma)  
*Dazao* 大棗 (*Ziziphus jujubae* Mill., Fructus)  
*Huangqi* 黃耆 (*Astragalus membranaceus* (Fisch.) Bge., Radix)  
*Renshen* 人參 (*Panax ginseng* C.A. Mey, Radix)  
*Shanyao* 山藥 (*Dioscorea opposita* Thunb., Radix)  
*Zhigancao* 炙甘草 (*Glycyrrhiza uralensis* Fischer, Radix Preperata)

**TONIFY BLOOD [4 herbs]**

*Baishao* 白芍 (*Paeonia lactiflora* Pall., Radix)  
*Danggui* 當歸 (*Angelica sinensis* (Oliv.) Diels, Radix)  
*Gouqizi* 枸杞子 (*Lycium barbarum* L., Furctus)  
*Shudihuang* 熟地黃 (*Rehmannia glutinosa* (Gaertn.) Libosch., Radix Preperata)

**TONIFY YIN [4 herbs]**

*Baihe* 百合 (Lilii Bulbus)  
*Maimendong* 麥門冬 (*Ophiopogonis Tuber*)  
*Tianmendong* 天門冬 (*Asparagi cochinchinensis* (Lour.) Merr., Tuber)  
*Yuzhu* 玉竹 (*Polygonatum odoratum* (Mill.) Druce, Rhizoma)

**TONIFY YANG [5 herbs]**

*Bajitian* 巴戟天 (*Morinda officinalis* How, Radix)  
*Duzhong* 杜仲 (*Eucommia ulmoides* Oliv., Cortex)  
*Roucongrong* 肉蓯蓉 (*Cistanche deserticola* Y.C. Ma., Herba)  
*Tusizi* 菟絲子 (*Cuscuta chinensis* Lam., Semen)  
*Xuduan* 繢斷 (*Dipsacus asper* Wall., Radix)

**WARM THE INTERIOR [3 herbs]**

*Fuzi* 附子 (*Aconitum carmichaeli* Debx., Radix Lateralis)  
*Ganjiang* 乾薑 (*Zingiber officinallis* Rosc., Rhizoma)  
*Rougui* 肉桂 (*Cinnamomum cassia* Blume, Cortex)

**CLEAR HEAT [12 herbs]**

*Huangbai* 黃柏 (*Phellodendri Cortex*)  
*Huanglian* 黃連 (*Coptis chinensis* Franch., Rhizoma)  
*Huangqin* 黃芩 (*Scutellaria baicalensis* Georgi., Radix)  
*Jinyinhua* 金銀花 (*Lonicera japonica* Thunb., Flos)  
*Lianqiao* 連翹 (*Forsythia suspensa* (Thunb.) Vahl, Fructus)  
*Longdancao* 龍膽草 (*Gentianae Radix*)  
*Mudanpi* 牡丹皮 (*Paeonia suffruticosa* Andr., Cortex)  
*Shigao* 石膏 (Calcium Sulfate, Gypsum)

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

*Shengdihuang* 生地黃 (*Rehmannia glutinosa* (Gaertn.) Libosch., Radix)

*Xuanshen* 玄參 (*Scrophulariae Radix*)

*Zhimu* 知母 (*Anemarrhena asphodeloides* Bge., Rhizoma)

*Zhizi* 桔子 (*Gardenia jasminoides* Ellis, Fructus)

**DRAIN DAMPNESS [4 herbs]**

*Fuling* 茯苓 (*Poria cocos* (Schw.) Wolf, Sclerotium)

*Zexie* 澤瀉 (*Alisma palntago-aquatica* L. var. *orientale* Samuels, Rhizoma)

*Mutong* 木通 (*Akebiae Caulis*)

*Yiyiren* 薏苡仁 (*Coix lachrymal jobi* L., Semen)

**TRANSFORM DAMPNESS [4 herbs]**

*Cangzhu* 苍术 (*Atractylodis Rhizoma*)

*Houpo* 厚朴 (*Magnolia officinalis* Rehd. Et Wils, Cortex)

*Huoxiang* 藿香 (*Agastaches seu Pogostemi Herba*)

*Sharen* 砂仁 (*Amomi Fructus*)

**TRANSFORM PHLEGM [7 herbs]**

*Banxia* 半夏 (*Pinellia ternate* (Thunb.) Breit., Rhizoma)

*Beimu* 貝母 (*Fritillariae Bulbus*)

*Dannanxing* 膽南星 (*Arisaematis Rhizoma Pulvis cum Felle Bovis*)

*Jiegeng* 桔梗 (*Platycodon grandiflorum* (Jacq.) A. DC., Radix)

*Sangbaipi* 桑白皮 (*Morus alba* L., Cortex Radicis)

*Xingren* 杏仁 (*Prunus armeniaca*, L., Semen)

*Zhuru* 竹茹 (*Bambusae Caulis*)

**RELIEVE FOOD STAGNATION [2 herbs]**

*Shanzha* 山楂 (*Crataegi Fructus*)

*Shenqu* 神曲 (*Massa Fermentata*)

**DISPEL WIND-DAMP [PAINFUL OBSTRUCTION] [5 herbs]**

*Duhuo* 獨活 (*Angelica pubescens* Maxim., Radix)

*Qinjiao* 秦艽 (*Gentianae Qinjiao Radix*)

*Sangzhi* 桑枝 (*Morus alba* L., Ramulus)

*Weilingxian* 威靈仙 (*Clematidis Radix*)

*Wujiapi* 五加皮 (*Acanthopanax gracilistylus* W.W. Smith., Cortex)

**STABILIZE & BIND [2 herbs]**

*Shanzhuyu* 山茱萸 (*Cornus officinalis* Sieb. et Zucc., Fructus)

*Wuweizi* 五味子 (*Schisandra chinensis* (Turcz.) Baill., Fructus)

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

**DRAIN DOWNWARD [2 herbs]**

*Dahuang* 大黃 (*Rhei Radix et Rhizoma*)  
*Huomaren* 火麻仁 (*Cannabis sativa L.*, Semen)

**CALM THE SPIRIT [5 herbs]**

*Baiziren* 柏子仁 (*Biota orientalis L.*, Semen)  
*Muli* 牡蠣 (*Ostreae, Concha*)  
*Suanzaoren* 酸棗仁 (*Ziziphus spinosa Hu.*, Semen)  
*Yejiateng* 夜交藤 (*Polygonum multiflorum Thunb.*, Caulis)  
*Yuanzhi* 遠志 (*Polygala tenuifolia Willd.*, Radix)

**EXTINGUISH WIND [2 herbs]**

*Tianma* 天麻 (*Gastrodia elata*, Blume, Rhizoma)  
*Gouteng* 鈎藤 (*Uncaria*, Ramulus cum Uncis)

**OPEN THE ORIFICES [2 herbs]**

*Bingpian* 冰片 (Borneol Camphor)  
*Shichangpu* 石菖蒲 (*Acorus gramineus Soland.*, Rhizoma)

**EXPEL PARASITES [1 herbs]**

*Binglang* 檳榔 (*Areca catechu L.*, Semen)

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

For the following one-hundred (100) **commonly used** herbal formulas, students must know the names (*pinyin* & English translation), categories, functions, and cautions & contraindications.

**RELEASE THE EXTERIOR [10 formulas]**

*Cangerzi San* 苍耳子散 (Xanthium Powder)  
*Chuanxiong Chatiao San* 川芎茶調散 (Ligusticum & Tea Powder)  
*Gegen Tang* 葛根湯 (Kudzu Decoction)  
*Guizhi Tang* 桂枝湯 (Cinnamon Twig Decoction)  
*Mahuang Tang* 麻黃湯 (Ephedra Decoction)  
*Qianglan Tang* 羌蘭湯 (Notoptergium & Isatis Decoction)  
*Renshen Baidu San* 人參敗毒散 (Ginseng Overcome Toxicity Powder)  
*Sangju Yin* 桑菊飲 (Mulberry & Chrysanthemum Decoction)  
*Xiao Qinglong Tang* 小青龍湯 (Minor Green Dragon Decoction)  
*Yinqiao San* 銀翹散 (Honeysuckle & Forsythia Powder)

**HARMONIZE [4 formulas]**

*Chaihu Shugan San* 柴胡疏肝散 (Bupleurum Spread the Liver Powder)  
*Sini San* 四逆散 (Four Rebellions Powder)  
*Xiao Chaihu Tang* 小柴胡湯 (Minor Bupleurum Decoction)  
*Xiaoyao San* 逍遙散 (Free & Easy Wanderer Powder)

**REGULATE QI [5 formulas]**

*Banxia Houpo Tang* 半夏厚朴湯 (Pinellia & Magnolia Decoction)  
*Dingchuan Tang* 定喘湯 (Calm Wheezing Decoction)  
*Dingxiang Shidi Tang* 丁香柿蒂湯 (Cloves & Persimmon Calyx Decoction)  
*Tiantai Wuyao San* 天臺烏藥散 (Excellent Lindera Powder)  
*Yueju Wan* 越鞠丸 (Escape Constraint Pill)

**REGULATE BLOOD [6 formulas]**

*Buyang Huanwu Tang* 補陽還五湯 (Tonify Yang & Restore Five Decoction)  
*Danshen Yin* 丹蔘飲 (Salvia Decoction)  
*Dieda Wan* 跌打丸 (Traumatic Injury Pill)  
*Guizhi Fuling Wan* 桂枝茯苓丸 (Cinnamon & Poria Pill)  
*Shaofu Zhuyu Tang* 少腹逐瘀湯 (Dispel Stasis in the Lower Abdomen Decoction)  
*Xuefu Zhuyu Tang* 血府逐瘀湯 (Dispel Stasis in the Blood Palace Decoction)

**STOP BLEEDING [3 formulas]**

*Baiye Tang* 柏葉湯 (Biota Leaf Decoction)  
*Diyu San* 地榆散 (Sanguisorba Powder)  
*Yunnan Baiyao* 雲南白藥 (White Medicine from Yunnan Province)

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

**TONIFY QI [5 formulas]**

*Buzhong Yiqi Tang* 補中益氣湯 (Tonify the Center & Benefit the Qi Decoction)  
*Shengmai San* 生脈散 (Generate a Pulse Powder)  
*Shenling Baizhu San* 參苓白朮散 (Ginseng, Poria, & Atractylodes Powder)  
*Sijunzi Tang* 四君子湯 (Four Gentlemen Decoction)  
*Xiangsha LiuJunzi Tang* 香砂六君子湯 (Auklandia & Amomum Six Gentlemen Decoction)

**TONIFY BLOOD [3 formulas]**

*Shaoyao Gancao Tang* 芍藥甘草湯 (Peony & Licorice Decoction)  
*Siwu Tang* 四物湯 (Four Substance Decoction)  
*Taohong Siwu Tang* 桃紅四物湯 (Peach Kernel & Safflower Four Substance Decoction)

**TONIFY QI & BLOOD [4 formulas]**

*Bazhen Tang* 八珍湯 (Eight Treasures Decoction)  
*Danggui Buxue Tang* 當歸補血湯 (Angelica Tonify Blood Decoction)  
*Guipi Tang* 歸脾湯 (Restore the Spleen Decoction)  
*Zhigancao Tang* 炙甘草湯 (Prepared Licorice Decoction)

**MOISTEN DRYNESS [3 formulas]**

*Zengye Tang* 增液湯 (Increase Fluids Decoction)  
*Baihe Gujin Tang* 百合固金湯 (Lily Bulb Secure Metal Decoction)  
*Maimendong Tang* 麥門冬湯 (Ophiopogonis Decoction)

**TONIFY YIN [3 formulas]**

*Erzhi Wan* 二至丸 (Two-Ingredient Ultimate Pill)  
*Liuwei Dihuang Wan* 六味地黃丸 (Six Flavor Rehmannia Pill)  
*Zuogui Yin* 左歸飲 (Restore the Left Decoction)

**TONIFY YANG [3 formulas]**

*Erxian Tang* 二仙湯 (Two Immortals Decoction)  
*Jingui Shenqi Tang* 金匱腎氣湯 (Golden Cabinet Kidney Qi Decoction)  
*Yougui Yin* 友歸飲 (Restore the Right Decoction)

**WARM THE INTERIOR [3 formulas]**

*Lizhong Wan* 理中丸 (Order the Center Pill)  
*Shenfu Tang* 參附湯 (Ginseng & Aconite Decoction)  
*Sini Tang* 四逆湯 (Four Rebellions Decoction)

**CLEAR HEAT [10 formulas]**

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

*Baihu Tang* 白虎湯 (White Tiger Decoction)  
*Baitouweng Tang* 白頭翁湯 (Pulsatilla Decoction)  
*Daochi San* 導赤散 (Guide Out the Red Powder)  
*Huanglian Jiedu Tang* 黃連解毒湯 (Coptis Resolve Toxicity Decoction)  
*Longdan Xiegan Tang* 龍膽瀉肝湯 (Gentian Drain the Liver Decoction)  
*Qinggu San* 清骨散 (Cool the Bones Powder)  
*Qingwei San* 清胃散 (Cool the Stomach Powder)  
*Shenxi Dan* 神犀丹 (Magic Rhinoceros Cinnabar-Pill)  
*Xiebai San* 瀉白散 (Drain the White Powder)  
*Xixin Tang* 瀉心湯 (Drain the Heart Decoction)

**DRAIN DAMPNESS [6 formulas]**

*Wuling San* 五苓散 (Five Ingredient Poria Powder)  
*Bazheng San* 八正散 (Eight Ingredient Rectification Powder)  
*Beixie Fenqing Yin* 草薢分清飲 (Dioscorea Decoction to Separate the Clear Decoction)  
*Wupi San* 五皮散 (Five Peel Powder)  
*Yinchenhao Tang* 茵陳蒿湯 (Artemesia Decoction)  
*Zhenwu Tang* 真武湯 (Perfected Warrior Decoction)

**TRANSFORM DAMPNESS [2 formulas]**

*Huoxiang Zhengqi San* 藿香正氣散 (Agastache Rectify the Qi Powder)  
*Pingwei San* 平胃散 (Calm the Stomach Powder)

**TRANSFORM PHLEGM [5 formulas]**

*Beimu Gualuo Tang* 貝母瓜萎湯 (Fritillaria & Trichosanthes Decoction)  
*Erchen Tang* 二陳湯 (Two Aged Decoction)  
*Wendan Tang* 溫膽湯 (Warm the Gallbladder Decoction)  
*Qingqi Huatan Wan* 清氣化痰丸 (Clear Qi & Transform Phlegm Pill)  
*Xiao Xianxiong Tang* 小陷胸 (Minor Sinking into the Chest Decoction)

**RELIEVE FOOD STAGNATION [1 formula]**

*Baohe Wan* 保和丸 (Preserve Harmony Pill)

**DISPEL WIND-DAMP [PAINFUL OBSTRUCTION] [3 formulas]**

*Duhuo Jisheng Tang* 獨活寄生湯 (Angelica & Sangjisheng Decoction)  
*Juanbi Tang* 繡癆湯 (Alleviate Painful Obstruction Decoction)  
*Qianghuo Shengshi Tang* 羌活勝濕湯 (Notopterygium Conquer Damp Decoction)

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

**STABILIZE & BIND [6 formulas]**

*Guizhi jia Longgu Muli Tang* 桂枝加龍骨牡蠣湯 (Cinnamon plus Dragon Bone & Oyster Shell Decoction)  
*Jinsuo Gujing Wan* 金鎖固精丸 (Metal Lock Stabilize Essence Pill)  
*Muli San* 牡蠣散 (Oyster Shell Powder)  
*Sishen Wan* 四神丸 (Four Miracle Pill)  
*Yihuang San* 益黃散 (Benefit Yellow [Discharge] Powder)  
*Yu Pingfeng San* 玉屏風散 (Jade Wind-Screen Powder)

**DRAIN DOWNWARD [3 formulas]**

*Da Chengqi Tang* 大承氣湯 (Major Order the Qi Decoction)  
*Runchang Wan* 潤腸丸 (Moisten the Intestines Pill)  
*Shizao Tang* 十棗湯 (Ten Jujube Decoction)

**CALM THE SPIRIT [5 formulas]**

*Dingzhi Wan* 定志丸 (Calm the Emotions Pill)  
*Ganmai Dazao Tang* 甘麥大棗湯 (Licorice, Wheat, & Jujube Decoction)  
*Suanzaoren Tang* 酸棗仁湯 (Sour Jujube Decoction)  
*Tianwang Buxin Dan* 天王補心丹 (Heavenly Ruler Tonify the Heart Cinnabar-Pill)  
*Chaihu jia Longgu Muli Tang* 柴胡加龍骨牡蠣湯 (Bupleurum plus Dragon Bone & Oyster Shell Decoction)

**EXTINGUISH WIND [3 formulas]**

*Tianma Gouteng Yin* 天麻鈎藤飲 (Gastrodia & Uncaria Decoction)  
*Xiaofeng San* 消風散 (Eliminate Wind Powder)  
*Xiao Huoluo Dan* 小活絡丹 (Minor Invigorate the Collaterals Cinnabar-Pill)

**OPEN THE ORIFICES [2 formulas]**

*Angong Niuhuang Wan* 安宮牛黃丸 (Peaceful Palace Cattle Gall-Stone Pill)  
*Ditan Tang* 濁痰湯 (Scour Phlegm Decoction)

**EXPEL PARASITES [2 formulas]**

*Wumei Wan* 烏梅丸 (Mume Pill)  
*Fei'er Wan* 肥兒丸 (Fat Baby Pill)

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

For the following hundred-fifty (150) Biomedically-defined **common diseases**, students must know the category, etiology, and key signs & symptoms.

**DERMATOLOGY DISORDERS [10 dx]**

- Alopecia
- Atopic Dermatitis (eczema)
- Folliculitis
- Furuncles (boils) & Carbuncles
- Impetigo
- Miliaria (heat rash)
- Psoriasis
- Rosacea
- Seborrheic Keratosis (papules & plaques)
- Urticaria

**EYES, EARS, NOSE, & THROAT (EENT) DISORDERS [11 dx]**

- Cataracts
- Conjunctivitis
- Diabetic Retinopathy
- Glaucoma
- Leukoplakia
- Macular Degeneration
- Oral Candidiasis
- Otitis Media
- Pharyngitis, Laryngitis, & Tonsilitis
- Pterygium
- Vertigo

**PULMONARY DISORDERS [9 dx]**

- Asthma
- Bronchiectasis
- Chronic Obstructive Pulmonary Disease (COPD)
- Cystic Fibrosis
- Obstructive Sleep Apnea
- Pneumonia
- Pneumothorax
- Pulmonary Tuberculosis
- Pulmonary Venous Thromboembolism

**CARDIAC, BLOOD, & LYMPH DISORDERS [10 dx]**

- Abdominal Aortic Aneurysm
- Acute Myocardial Infarction
- Anemia
- Angina Pectoris

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

Aortic Stenosis  
Atrial Fibrillation  
Hypertension  
Lymph Edema  
Mitral Regurgitation  
Myocarditis/Pericarditis

**GASTROINTESTINAL DISORDERS [9 dx]**

Appendicitis  
Ascites  
Celiac Disease  
Crohn Disease  
Diverticulitis  
Gastro-Esophageal Reflux Disease (GERD)  
Irritable Bowel Syndrome (IBS)  
Peptic Ulcer Disease  
Ulcerative Colitis

**LIVER, BILIARY TRACT, & PANCREAS DISORDERS [5 dx]**

Cholecystitis  
Cholelithiasis  
Cirrhosis  
Non-alcoholic Fatty Liver Disease  
Pancreatitis

**ORTHOPEDIC DISORDERS [5 dx]**

Adhesive Capsulitis  
Carpal Tunnel Syndrome  
Dupuytren Contraction  
Spinal Stenosis  
Lumbar Disc Herniation

**RHEUMATOLOGY, IMMUNOLOGIC, & ALLERGIC DISORDERS [4 dx]**

Allergic Rhinitis  
Fibromyalgia  
Rheumatoid Arthritis  
Systemic Lupus Erythematosus

**OBSTETRICS, GYNECOLOGY, & BREAST DISORDERS [10 dx]**

Bartholin Duct Cysts & Abscesses  
Breast Abscess  
Endometriosis  
Fibrocystic Breast Condition

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

Gestational Diabetes  
Hyperemesis Gravidarum  
Leiomyoma of the Uterus (fibroid)  
Pelvic Inflammatory Disease  
Polycystic Ovarian Syndrome  
Pre-eclampsia & Eclampsia

**RENAL & UROLOGIC DISORDERS [7 dx]**

Acute Cystitis  
Benign Prostatic Hyperplasia (BPH)  
Chronic Kidney Disease (CKD)  
Diabetic Nephropathy  
Gomerulo Nephritis  
Interstitial Cystitis  
Prostatitis

**NERVOUS SYSTEMS DISORDERS [9 dx]**

Alzheimer Disease  
Dementia  
Epilepsy  
Guillain-Barre Syndrome  
Migraine  
Parkinson Disease  
Postural Orthostatic Tachycardia Syndrome (POTS)  
Transient Ischemic Attack (TIA)  
Trigeminal Neuralgia

**PSYCHOLOGICAL DISORDERS [7 dx]**

Anxiety Disorders  
Attention Deficit-Hyperactivity Disorders (ADHD)  
Autism Spectrum Disorders  
Mood Disorders  
Obsessive-Compulsive Disorder (OCD)  
Post-Traumatic Stress Disorder (PTSD)  
Schizophrenic Spectrum Disorders

**ACID-BASE DISORDERS [2 dx]**

Metabolic Acidosis  
Metabolic Alkalosis

**ENDOCRINE DISORDERS [3 dx]**

Diabetes Mellitus  
Hyperthyroidism

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

Hypothyroidism

**CANCER [17 dx]**

Basal Cell Carcinoma  
Breast Cancer  
Carcinoma of the Cervix/Uterus  
Carcinoma of the Pancreas  
Colorectal Cancer  
Esophageal Cancer  
Hepatocellular Carcinoma  
Kaposi Sarcoma  
Leukemia  
Malignant Melanoma  
Malignant Nasopharyngeal Tumors  
Non-Hodgkin Lymphoma  
Ovarian Cancer  
Prostate Cancer  
Pulmonary Neoplasms/Bronchogenic Carcinoma  
Squamous Cell Carcinoma  
Testicular Cancer

**VIRAL DISEASES [8 dx]**

Dengue Virus Disease  
Epstein-Barr Virus  
Hanta Virus Disease  
Hepatitis A, B, & C  
Herpes Simplex  
Herpes Zoster  
Human Immunodeficiency Virus (HIV)  
Viral Rhinosinusitis

**BACTERIAL DISEASES [11 dx]**

Bacterial Rhinosinusitis  
Clostridial Diseases  
Enterococcal infections  
Gonococcal infections  
Leptospirosis  
Listeriosis  
Lyme Disease  
Pneumococcal infections  
Sheigellosis  
Streptococcal infections  
Syphilis

**ICAO Staged Learning Examination (SLE)**  
**Level 1 Question Study Guide**

**MYCOTIC DISEASES [5 dx]**

Aspergillosis  
Candidiasis  
Fungal Infections (Tinea)  
Histoplasmosis  
Pneumocystis

**PROTOZOA & HELMINTHIC DISEASES [8 dx]**

Ascariasis  
Giardiasis  
Leishmaniasis  
Malaria  
Schistosomiasis  
Trichomoniasis